

NTS MARKET SPOTLIGHT

# AEROSPACE AND DEFENSE



NTS's full spectrum test and research facilities are capable of managing your environmental test requirements



Electromagnetic shielding and susceptibility tests are critical to modern military aircraft and vehicles

## ENGINEERING SERVICES AND TECHNICAL RESOURCES

For over 50 years NTS has provided engineering and technical resources to the aerospace/defense industry. Making our technical expertise and experience available to our clients, when and where you need it, is our differentiator. From managing and operating government test labs to providing on-site engineers and testing at U.S. Military bases, NTS can be your single source for engineering and technical resources.

## NATIONAL ORDNANCE AND BALLISTIC TEST CENTER

NTS owns and operates the National Ordnance and Ballistic Test Center situated in the Highland Industrial Park in Camden, Arkansas. Established within the original 68,000-acre Shumaker Naval Ammunition Depot and a portion of Highland Industrial Park, the complex is equipped to conduct a wide array of severe and dangerous tests on weapon systems, ordnance, rocket motors, hazardous materials and commercial products. One of the most complete ordnance test facilities in the country, it was developed by NTS to satisfy the weapons industry manufacturing and testing needs well into the future.

## AIRCRAFT, ROCKET AND SATELLITE TEST TECHNOLOGY

With advanced test capabilities, NTS has participated in every major space project since the inception of manned space exploration. We perform research and development, test and system evaluation on a wide range of military aircraft, vehicles, systems and components. Test capabilities include dynamic response, acoustic intensity and modal analysis on aircraft structures and systems; evaluation of electronic and hydraulic systems for advanced military aircraft and vehicles; severe environment and hazardous flow tests at temperatures to -300°F to 500°F; and hydrogen flow at 5000 psi. We also conduct FAA and private aircraft industry development and evaluation programs.

NTS leads the industry in testing associated with satellite engineering. For fuel cells, solar panels, composite antennas, batteries and various mechanical and electronic devices, NTS can custom engineer chambers and fixtures to conduct a complete range of space related phenomena.

## ABOUT NTS

As one of the largest commercial test laboratory networks in North America, NTS offers test, inspection and certification services for environmental, dynamics, EMC, wireless, product safety, materials, ballistics and much more. Our client partners rely on NTS to bring quality products to market quickly and efficiently, and so can you.



[www.nts.com](http://www.nts.com)  
800.270.2516  
[sales@nts.com](mailto:sales@nts.com)

## HIGHLIGHTS AND PRIMARY TEST CAPABILITIES

### Dynamics

- Shakers up to 3.0" stroke, 45,000 force/lbs, dual shakers up to 70,000 force/lbs, 4-3,000Hz
- Hydraulic system with 12" stroke, 100,000 force/lbs, 0.6Hz to 500Hz.
- Acceleration up to 750g's, up to 25' radius, up to 70 channels
- Shock, 7 foot unit up to 750g, Pyro-shock
- Acoustic noise

**Primary Specifications:** MIL-STD-810, MIL-STD-202, MIL-STD-883, MIL-STD-167, MIL-S-901, RTCA/ DO-160, ISTA, ASTM

### EMI/EMC


- Radiated susceptibility with 200V/m and HIRF capability, 10kHz to 40GHz
- Lightning-multiple stroke, multiple burst, and indirect RF emissions and immunity, AC power fault, surge, ESD and EFT
- Anechoic rooms up to 40' x 40' x 20'

**Primary Specifications:** MIL-STD 461/462, MIL-STD 1275, MIL-STD 704A, RTCA DO 160

### Fiber Optics

- Optical performance evaluation during shock & vibration testing
- Optical performance testing with temperature/humidity conditioning

**Primary Specifications:** MIL-C-28876, MIL-PRF-85045, MIL-C-83522, MIL-T-29504, MIL-I-24728, MIL-PRF-24623



Simulate space conditions in order to evaluate the life expectancy of today's communications and military satellites

### Environmental

- Multiple temperature/humidity chambers from 2' x 2' x 2' to 25' x 25' x 15'
- Temperature/humidity/altitude chambers, explosive atmosphere
- Salt fog, Sand/dust
- Solar radiation
- Mix Flowing Gas (MFG)
- Space simulation

**Primary Specifications:** MIL-STD-810, MIL-STD-202, ASTM

### Fluids, Fuels and Cryogenics

- Hydraulic/pneumatic - static/dynamic
- Flow - gas, liquid, fuel, propellant, oxidizer, chemical, hazardous, water, steam
- Temperature - high/low gas flows
- Cryogenic - liquid oxygen, liquid nitrogen, liquid hydrogen, LNG
- Functional/qualification testing
- Efficiency - filters, flow components
- Leak detection - helium mass spectrometer
- Proof/burst, pulse/burst, thermal shock

**Primary Specifications:** ARP 603, ARP 1383, ISO 6772

### Mechanical

- Fire resistance, fire spread, needle-flame
- Hydraulic/pneumatics pressure impulse, flow, proof, burst
- Load test, tensile fatigue, flexural testing

**Primary Specifications:** FAA AC-20, FAR 25, GR-63-CORE, ISO 2685, ISO 6772, ARP 603, ARP 1383, AS 4265, AS 18280

### National Ordnance and Ballistic Test Center Highlights

- 3000 meter large caliber range
- 35,000 square feet enclosed climatic conditioning
- Warhead arena test areas
- Shoulder-fired rocket range
- Multiple indoor and outdoor medium ranges
- Shakers in remote areas, up to 34,000 force pounds

**Primary Specifications:** MIL-STD-2105 Insensitive Munitions, MIL-STD 810



800.270.2516 | [www.nts.com](http://www.nts.com) | [sales@nts.com](mailto:sales@nts.com)

©2018 National Technical Systems. All rights reserved. Specifications subject to change.